

# Computational Intelligence

Winter Term 2012/13

Prof. Dr. Günter Rudolph  
 Lehrstuhl für Algorithm Engineering (LS 11)  
 Fakultät für Informatik  
 TU Dortmund

## Contents

- Ant algorithms (combinatorial optimization)
- Particle swarm algorithms (optimization in  $\mathbb{R}^n$ )

### metaphor

swarms of bird or fish  
 seeking for food

ants or termites  
 seeking for food

#### concepts:

- evaluation of own current situation
- comparison with other conspecific
- imitation of behavior of successful conspecifics

⇒ audio-visual communication

#### concepts:

- communication / coordination by means of „stigmergy“
- reinforcement learning → positive feedback

⇒ olfactoric communication

### ant algorithms (ACO: Ant Colony Optimization)

paradigm for design of metaheuristics for combinatorial optimization


stigmergy = indirect communication through modification of environment

~ 1991 Colorni / Dorigo / Maniezzo: Ant System (also: 1. ECAL, Paris 1991)  
Dorigo (1992): collective behavior of social insects (PhD)

#### some facts:


- about 2% of all insects are social
- about 50% of all social insects are ants
- total weight of all ants = total weight of all humans
- ants populate earth since 100 millions years
- humans populate earth since 50.000 years

**double bridge experiment** (Deneubourg et al. 1990, Goss et al. 1989)



**initially:**  
both bridges used equally often

**finally:**  
all ants run over single bridge only!



**finally:**  
all ants use the **shorter** bridge!

**How does it work?**

- ants place pheromons on their way
- routing depends on concentration of pheromons

**more detailed:**

- ants that use shorter bridge return faster
- ⇒ pheromone concentration higher on shorter bridge
- ⇒ ants choose shorter bridge more frequently than longer bridge
- ⇒ pheromone concentration on shorter bridge even higher
- ⇒ even more ants choose shorter bridge
- ⇒ a.s.f.


positive feedback loop

**Ant System (AS) 1991**

combinatorial problem:

- components  $C = \{c_1, c_2, \dots, c_n\}$
- feasible set  $F \subseteq 2^C$
- objective function  $f: 2^C \rightarrow \mathbb{R}$

**ants** = set of concurrent (or parallel) asynchronous agents  
move through state of problems




partial solutions of problems

⇒ caused by movement of ants the final solution is compiled incrementally


**movement:** stochastic local decision

(2 parameters)



while constructing the solution (if possible), otherwise at the end:

1. evaluation of solutions
2. modification of 'trail value' of components on the path



**ant k in state i**

- determine all possible continuations of current state i
- choice of continuation according to probability distribution  $p_{ij}$

$$p_{ij} = q(\text{attractivity, amount of pheromone})$$

heuristic is based on *a priori*  
desirability of the move

*a posteriori* desirability of the move  
„how rewarding was the move in the past?“

- update of pheromone amount on the paths:  
as soon as all ants have compiled their solutions  
good solution ↗ increase amount of pheromone, otherwise decrease ↘

**Combinatorial Problems (Example TSP)**TSP:

- ant starts in arbitrary city i
- pheromone on edges (i, j):  $\tau_{ij}$
- probability to move from i to j: 
$$p_{ij}^{(t)} = \frac{\tau_{ij}^\alpha \eta_{ij}^\beta}{\sum_{k \in \mathcal{N}_i(t)} \tau_{ik}^\alpha \eta_{ik}^\beta} \quad \text{for } j \in \mathcal{N}_i(t)$$
- $\eta_{ij} = 1/d_{ij}$ ;  $d_{ij}$  = distance between city i and j
- $\alpha = 1$  and  $\beta \in [2, 5]$  (empirical),  $\rho \in (0,1)$  “evaporation rate“
- $\mathcal{N}_i(t)$  = neighborhood of i at time step t (without cities already visited)
- update of pheromone after  $\mu$  journeys of ants:  $\tau_{ij} := \rho \tau_{ij} + \sum_{k=1}^{\mu} \Delta \tau_{ij}(k)$
- $\Delta \tau_{ij}(k) = 1 / (\text{tour length of ant } k)$ , if (i,j) belongs to tour

**two additional mechanisms:**

1. *trail evaporation*
2. *demon actions* (for centralized actions; not executable in general)

Ant System (AS) is prototype

tested on TSP-Benchmark → not competitive

⇒ but: works in principle!

subsequent: 2 targets

1. increase efficiency (→ competitiveness with *state-of-the-art* method)
2. better explanation of behavior

1995 ANT-Q (Gambardella & Dorigo), simplified: 1996 ACS *ant colony system*

**Particle Swarm Optimization (PSO)**

↓  
abstraction from fish / bird / bee swarm

paradigm for design of metaheuristics for continuous optimization

developed by Russel Eberhard & James Kennedy (~1995)

**concepts:**

- particle (x, v) consists of position  $x \in \mathbb{R}^n$  and “velocity” (i.e. direction)  $v \in \mathbb{R}^n$
- PSO maintains multiple potential solutions at one time
- during each iteration, each solution/position is evaluated by an objective function
- particles “fly” or “swarm” through the search space  
to find position of an extremal value returned by the objective function

