

# Computational Intelligence

Winter Term 2015/16

Prof. Dr. Günter Rudolph

Lehrstuhl für Algorithm Engineering (LS 11)

Fakultät für Informatik

TU Dortmund

- Application Fields of ANNs
  - Classification
  - Prediction
  - Function Approximation
- Recurrent MLP
  - Elman Nets
  - Jordan Nets
- Radial Basis Function Nets (RBF Nets)
  - Model
  - Training


## Classification

given: set of training patterns (input / output)

output = label  
(e.g. class A, class B, ...)

$$\begin{array}{cc} \uparrow & \uparrow \\ \tilde{x}_i & \tilde{y}_i \end{array}$$

parameters



**phase I:**

train network


**phase II:**

apply network to unknown inputs for classification

## Prediction of Time Series

time series  $x_1, x_2, x_3, \dots$  (e.g. temperatures, exchange rates, ...)

task: given a subset of historical data, predict the future



training patterns:

historical data where true output is known;

$$\text{error per pattern} = (\hat{x}_{t+\tau} - x_{t+\tau})^2$$

### phase I:

train network


### phase II:

apply network to historical inputs for predicting unkown outputs

## Prediction of Time Series: Example for Creating Training Data

given: time series 10.5, 3.4, 5.6, 2.4, 5.9, 8.4, 3.9, 4.4, 1.7

time window:  $k=3$



first input / output pair

further input / output pairs:


(3.4, 5.6, 2.4)	5.9
(5.6, 2.4, 5.9)	8.4
(2.4, 5.9, 8.4)	3.9
(5.9, 8.4, 3.9)	4.4
(8.4, 3.9, 4.4)	1.7

## Function Approximation (the general case)

task: given training patterns (input / output), approximate unknown function

→ should give outputs close to true unknown function for arbitrary inputs

- values between training patterns are **interpolated**
- values outside convex hull of training patterns are **extrapolated**




X : input training pattern

o : input pattern where output to be interpolated

▲ : input pattern where output to be extrapolated

**Jordan nets** (1986)• **context neuron:**


reads output from some neuron at step  $t$  and feeds value into net at step  $t+1$

**Jordan net =**

MLP + context neuron  
for each output,  
context neurons fully  
connected to input layer

**Elman nets** (1990)**Elman net =**

MLP + context neuron for each hidden layer neuron's output of MLP, context neurons fully connected to emitting MLP layer





## Training?

⇒ unfolding in time (“loop unrolling“)

- identical MLPs serially connected (finitely often)
- results in a large MLP with many hidden (inner) layers
- backpropagation may take a long time
- but reasonable if most recent past more important than layers far away

## Why using backpropagation?

⇒ use *Evolutionary Algorithms* directly on recurrent MLP!

later!

### Definition:

A function  $\phi : \mathbb{R}^n \rightarrow \mathbb{R}$  is termed **radial basis function** iff  $\exists \varphi : \mathbb{R} \rightarrow \mathbb{R} : \forall \mathbf{x} \in \mathbb{R}^n : \phi(\mathbf{x}; \mathbf{c}) = \varphi(\|\mathbf{x} - \mathbf{c}\|)$ .  $\square$

### Definition:

RBF **local** iff

$\varphi(r) \rightarrow 0$  as  $r \rightarrow \infty$   $\square$

typically,  $\|\mathbf{x}\|$  denotes Euclidean norm of vector  $\mathbf{x}$

### examples:

$$\varphi(r) = \exp\left(-\frac{r^2}{\sigma^2}\right)$$

Gaussian

unbounded

$$\varphi(r) = \frac{3}{4}(1 - r^2) \cdot 1_{\{r \leq 1\}}$$

Epanechnikov

bounded

$$\varphi(r) = \frac{\pi}{4} \cos\left(\frac{\pi}{2}r\right) \cdot 1_{\{r \leq 1\}}$$

Cosine


bounded

local

**Definition:**

A function  $f: \mathbb{R}^n \rightarrow \mathbb{R}$  is termed **radial basis function net (RBF net)**

iff  $f(x) = w_1 \varphi(\|x - c_1\|) + w_2 \varphi(\|x - c_2\|) + \dots + w_p \varphi(\|x - c_q\|)$   $\square$



- layered net
- 1st layer fully connected
- no weights in 1st layer
- activation functions differ

given : N training patterns  $(x_i, y_i)$  and q RBF neurons

find : weights  $w_1, \dots, w_q$  with minimal error

### solution:

we know that  $f(x_i) = y_i$  for  $i = 1, \dots, N$  and therefore we insist that

$$\sum_{k=1}^q w_k \cdot \underbrace{\varphi(\|x_i - c_k\|)}_{p_{ik}} = y_i$$

↓
↓
↓

unknown      known value      known value

$$\Rightarrow \sum_{k=1}^q w_k \cdot p_{ik} = y_i \quad \Rightarrow \text{N linear equations with q unknowns}$$

**in matrix form:**  $P w = y$  with  $P = (p_{ik})$  and  $P: N \times q, y: N \times 1, w: q \times 1,$

**case**  $N = q:$   $w = P^{-1} y$  if  $P$  has full rank

**case**  $N < q:$  many solutions but of no practical relevance

**case**  $N > q:$   $w = P^+ y$  where  $P^+$  is Moore-Penrose pseudo inverse

$P w = y$  |  $\cdot P'$  from left hand side ( $P'$  is transpose of  $P$ )

$P'P w = P' y$  |  $\cdot (P'P)^{-1}$  from left hand side

$(P'P)^{-1} P'P w = (P'P)^{-1} P' y$  | simplify

$\underbrace{(P'P)^{-1} P'P}_{\text{unit matrix}} w = \underbrace{(P'P)^{-1} P'}_{P^+} y$

- existence of  $(P'P)^{-1}$  ?
- numerical stability ?

## Tikhonov Regularization (1963)

idea:

choose  $(P'P + h I_q)^{-1}$  instead of  $(P'P)^{-1}$  ( $h > 0$ ,  $I_q$  is  $q$ -dim. unit matrix)

excursion to linear algebra:

Def : matrix  $A$  positive semidefinite (p.s.d) iff  $\forall x \in \mathbb{R}^n : x'Ax \geq 0$

Def : matrix  $A$  positive definite (p.d.) iff  $\forall x \in \mathbb{R}^n \setminus \{0\} : x'Ax > 0$

Thm : matrix  $A : n \times n$  regular  $\Leftrightarrow \text{rank}(A) = n \Leftrightarrow A^{-1}$  exists  $\Leftarrow A$  is p.d.

Lemma :  $a, b > 0$ ,  $A, B : n \times n$ ,  $A$  p.d. and  $B$  p.s.d.  $\Rightarrow a \cdot A + b \cdot B$  p.d.

Proof :  $\forall x \in \mathbb{R}^n \setminus \{0\} : x'(a \cdot A + b \cdot B)x = \underbrace{a \cdot x'Ax}_{> 0} + \underbrace{b \cdot x'Bx}_{\geq 0} > 0$  q.e.d.

Lemma :  $P : n \times q \Rightarrow P'P$  p.s.d.

Proof :  $\forall x \in \mathbb{R}^n : x'(P'P)x = (x'P') \cdot (Px) = (Px)'(Px) = \|Px\|_2^2 \geq 0$  q.e.d.

**Tikhonov Regularization (1963)**

$\Rightarrow (P'P + h I_q)$  is p.d.  $\Rightarrow (P'P + h I_q)^{-1}$  exists

question: how to justify this particular choice?

$$\|Pw - y\|^2 + h \cdot \|w\|^2 \rightarrow \min_w!$$

interpretation: minimize TSSE and prefer solutions with small values!

$$\frac{d}{dw} [(Pw - y)'(Pw - y) + h \cdot w'w] =$$

$$\frac{d}{dw} [(w'P'Pw - w'P'y - y'Pw + y'y + h \cdot w'w)] =$$

$$2P'Pw - 2P'y + 2hw = 2(P'P + hI_q)w - 2P'y \stackrel{!}{=} 0$$

$$\Rightarrow w^* = (P'P + hI_q)^{-1}P'y$$

$$\frac{d}{dw} [2(P'P + hI_q)x - 2P'y] = 2(P'P + hI_q) \text{ is p.d.} \Rightarrow \text{minimum}$$

## Tikhonov Regularization (1963)

question: how to find appropriate  $h > 0$  in  $(P'P + h I_q)$  ?

let  $\text{PERF}(h; T)$  with  $\text{PERF} : \mathbb{R}^+ \rightarrow \mathbb{R}^+$  measure the performance of RBF net for positive  $h$  and given training set  $T$

find  $h^*$  such that  $\text{PERF}(h^*; T) = \max\{\text{PERF}(h; T) : h \in \mathbb{R}^+\}$

→ several approaches in use

→ here: **grid search** and **crossvalidation**

```
(1) choose  $n \in \mathbb{N}$  and  $h_1, \dots, h_n \in (0, H] \subset \mathbb{R}^+$ ; set  $p^* = 0$ 
(2) for  $i = 1$  to  $n$ 
(3)    $p_i = \text{PERF}(h_i; T)$ 
(4)   if  $p_i > p^*$ 
(5)      $p^* = p_i; k = i;$ 
(6)   endif
(7) endfor
(8) return  $h_k$ 
```

} grid search



## Crossvalidation

choose  $k \in \mathbb{N}$  with  $k < |T|$

let  $T_1, \dots, T_k$  be partition of training set  $T$

$$T_1 \cup \dots \cup T_k = T$$

$$T_i \cap T_j = \emptyset \text{ for } i \neq j$$

$\text{PERF}(h; T) =$

- (1) set  $err = 0$
- (2) for  $i = 1$  to  $k$
- (3) build matrix  $P$  and vector  $y$  from  $T \setminus T_i$
- (4) get weights  $w = (P'P + hI)^{-1}P'y$
- (5) build matrix  $P$  and vector  $y$  from  $T_i$
- (6) get error  $e = (Pw - y)'(Pw - y)$
- (7)  $err = err + e$
- (8) endfor
- (9) return  $1/err$

**complexity (naive)**


$$w = (P^T P)^{-1} P^T y$$

 $P^T P: N^2 q$ inversion:  $q^3$  $P^T y: qN$ multiplication:  $q^2$ 

$O(N^2 q)$  elementary operations

**remark:** if  $N$  large then inaccuracies for  $P^T P$  likely


⇒ first analytic solution, then gradient descent starting from this solution




requires  
differentiable  
basis functions!

**so far:** tacitly assumed that RBF neurons are given  
⇒ center  $c_k$  and radii  $\sigma$  considered given and known

**how** to choose  $c_k$  and  $\sigma$  ?



uniform covering



if training patterns  
inhomogenously  
distributed then first  
cluster analysis

choose center of basis  
function from each  
cluster, use cluster size  
for setting  $\sigma$

### **advantages:**

- additional training patterns → only local adjustment of weights
- optimal weights determinable in polynomial time
- regions not supported by RBF net can be identified by zero outputs  
(if output close to zero, verify that output of each basis function is close to zero)

### **disadvantages:**

- number of neurons increases exponentially with input dimension
- unable to extrapolate (since there are no centers and RBFs are local)